




TKS-061
??: 1.12 kg/m
????: 312.8mm




TKS-104
??: 0.917kg/m
????: 260.8mm




TKS-104-A
??: 1.22 kg/m
????: 355 mm




YN-KU103
단중: 1.122 kg/m
외주위장: 319.5 mm




YN-KU215
단중: 1.388 kg/m
외주위장: 371.6 mm




YN-KU1020
단중: 2.067 kg/m
외주위장: 430.4mm




YN-KU462
단중: 1.231 kg/m
외주위장: 334.9 mm




YN-HI195
단중: 1.302 kg/m
외주위장: 480.2 mm




YN-HI207
단중: 1.230 kg/m
외주위장: 314.3 mm




YN-KU463
단중: 1.081 kg/m
외주위장: 289.3 mm




YN-KU465
단중: 0.761 kg/m
외주위장: 236.6 mm




YN-KU466
단중: 0.451 kg/m
외주위장: 117.4 mm




YN-HI405
단중: 1.325 kg/m
외주위장: 351.6 mm




YN-HI503
단중: 0.818 kg/m
외주위장: 170 mm
※금형확인?




YN-HI504
단중: 1.107 kg/m
외주위장: 287.9 mm




YN-HI 516
단중: 1.044 kg/m
외주위장: 294.5 mm




YN-KS037
단중: 1.052 kg/m
외주위장: 321.7 mm




YN-KS061
단중: 0.775 kg/m
외주위장: 218.9 mm




YN-KS062
단중: 0.527 kg/m
외주위장: 154.0 mm




KC-075
???: 0.989kg/m
?????: 294.5mm




KC-077
???: 1.027kg/m
?????: 282.2mm




KU-144B
1.083KG/M




KU-144K
0.915KG/M




KU-144A
0.999KG/M




KU-144C
1.076KG/M




KU-151
0.8KG/M




KU-185
0.714KG/M




KU-279
0.914KG/M




KU-331
2.342




KU-331A
1.499KG/M




KU-350A
0.93KG/M




KU-350
0.915KG/M




KU-369A




KU-370
2.009KG/M




KU-370A
1.934KG/M




KU-539A
0.989KG/M




KU-539
0.983KG/M



KU-561A
1.068KG/M




KU-639
1.06KG/M




KU-678


???: 0.458kg/m
 ?????: 179.6mm




KU-541A
3.154KG/M




KU-832-2
 ???: 2.644kg/m
 ?????: 547.4mm



KU-832-5
 ???: 1.93 kg/m
 ?????: 471.8mm




KU-997
 ???: 0.775kg/m
 ?????: 299 mm




HM-014

??: 1.866kg/m
????: 412.2mm




HM-038

??: 1.094kg/m
????: 256.4mm




HM-053

??: 0.733kg/m
????: 240 mm




HM-060


??: 0.904kg/m
????: 224.5mm



HI-032
1.050kg/m
83.5mm




HI-070
1.628kg/m
83.5mm




SW-003

??: 0.819kg/m
????: 285.0mm



IY-001

??: 0.773kg/m
????: 326.9mm




IY-002

??: 1.343kg/m
????: 357.9mm




IY-002A

??: 0.381kg/m
????: 69.1 mm




JH-UB26-2


??: 5.067kg/m
????: 792.34mm




UR-007-1
 ??: 1.113kg/m
 ????: 288.2mm




UR-007-2
 ??: 1.177kg/m
 ????: 306.2mm




UR-026
 ??: 0.835kg/m
 ????: 383 mm




UR-057
 ??: 1.183kg/m
 ????: 306mm




UR-057-1
 ??: 1.199kg/m
 ????: 298.1mm




UR-078
 ??: 0.821kg/m
 ????: 346.1mm




UR-105
 ??: 1.675kg/m
 ????: 438.2mm




UR-189-2
 ??: 1.012kg/m
 ????: 315.7 mm



UR-193A
 ??: 1.247kg/m
 ????: 409.8mm




UR-187
 ??: 0.278kg/m
 ????: 166.9mm




MM-002

??: 0.816kg/m
 ????: 410.9mm




MR-021

??: 0.276kg/m
 ????: 168.9mm




MR-023

??: 1.114kg/m
 ????: 275.9mm




MR-026

??: 1.290 kg/m
 ????: 269.4 mm




AG-006

??: 0.824kg/m
 ????: 305.6mm




AG-006

??: 0.824kg/m
 ????: 305.6mm




AG-043

??: 0.702kg/m
 ????: 283.4mm




AG-053-2

??: 1.572kg/m
 ????: 525.6mm




AG-053-5

??: 1.553kg/m
 ????: 507.5mm




KSH-024

??: 1.687kg/m
 ????: 464 mm




J-SO 004

??: 1.650kg/m
 ????: 418.1mm




J-038


??: 0.918kg/m
 ????: 287.6mm



J-SA091
 ??: 1.089kg/m
 ????: 335.64mm



J-AI 045
 ??: 1.257kg/m
 ????: 347.7mm



J-AI 045A
 ??: 0.767kg/m
 ????: 103.8mm